



Versys / 2011

Unique Package

Difficult to explain in words and nearly impossible to categorise, the Versys is one of those machines that exceeds the sum of its carefully crafted parts.



Metallic Imperial
Red



Metallic Spark Black

Features

Versys / 2011



Sharp styling



Instruments



Upright riding position



Low-mid range focused 649cc
Parallel Twin



19-litre Fuel tank



LED Tail light

More features



Comfortable pillion seat



Optional ABS



Sporty 17" wheels



Long travel suspension

Accessories

Versys / 2011



Engine guards



Windshield - vario



Handguards

More accessories



Panniers 2x35L



Windshield



Topcase 30L



Tank pad



Knee pads



Protection kit for panniers



Bracket set for panniers



Bracket for topcase



Lower seat - gel



Cover set for panniers



Cover for topcase 30L



12V Outlet



Heated grips



High seat - gel

Engine

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Displacement	649 cm ³
Bore x stroke	83 x 60 mm
Compression ratio	10.6:1
Valve/Induction system	DOHC, 8 valves
Fuel system	Fuel injection: ø38 mm x 2 (Keihin)
Ignition	Digital
Starting	Electric
Lubrication	Forced lubrication, semi-dry sump

Transmission

Transmission	6-speed, return
Final Drive	Sealed chain
Primary reduction ratio	2.095 (88/42)
Gear ratios: 1st	2.438 (39/16)
Gear ratios: 2nd	1.714 (36/21)
Gear ratios: 3rd	1.333 (32/24)
Gear ratios: 4th	1.111 (30/27)
Gear ratios: 5th	0.966 (28/29)
Gear ratios: 6th	0.852 (23/27)
Final reduction ratio	3.067 (46/15)
Clutch	Wet multi-disc, manual

Frame

Frame type	Diamond, high-tensile steel
Rake/Trail	25° / 108 mm
Wheel travel, front	150 mm
Wheel travel, rear	145 mm
Tyre, front	120/70ZR17M/C (58W)
Tyre, rear	160/60ZR17M/C (69W)
Steering angle, left / right	35° / 35°

Suspension

Suspension, front	41 mm inverted telescopic fork with stepless (right-side) adjustable rebound damping and adjustable preload
Suspension, rear	Offset laydown single-shock with 13-way adjustable rebound damping and 7-way adjustable preload

Brakes

Brakes, front	Dual semi-floating 300 mm petal discs Caliper: Dual piston
Brakes, rear	Single 220 mm petal disc Caliper: Single-piston

Dimensions

Dimensions (L x W x H)	2,125 mm x 840 mm x 1,330 mm
Wheelbase	1,415 mm
Ground Clearance	180 mm
Seat height	845 mm
Fuel capacity	19 litres
Curb Mass	206 kg (KLE650C) 209 kg (KLE650D)

Performance

Maximum power	47 kW {64 PS} / 8,000 rpm. 25 kW {34 PS} / 6,500 rpm (25 kW kit)
Maximum torque	61 Nm {6.2 kgf.m} / 6,800 rpm